Hot Mix Installation – SR 1355





Map 6 – SR 1355 (1.58 miles). 1.5" Lift, Hot Mix. Shoe – NCDOT Prototype 1. Photos from May 11, 2011. Same curve as shown in previous slide.

Hot Mix Installation – SR 1354



Photo from May 11, 2011. Map 5 – SR 1354 (1.61 miles). 1.5" Lift, Hot Mix. Shoe – NCDOT Prototype 1.

Hot Mix Installation – SR 1938



Photo from May 11, 2011. Map 1 – SR 1938 (1.89 miles). 1.5" Lift, Hot Mix. Shoe – Carlson End Gate.

Warm Mix Installation – SR 1921



Photo from May 11, 2011. Map 2 – SR 1921 (0.64 miles). 1.5" Lift, Warm Mix. Shoe – NCDOT Prototype 1.

Warm Mix Installation – SR 1327



Photo from May 11, 2011. Map 3 – SR 1327 (0.94 miles). 1.5" Lift, Warm Mix. Shoe – NCDOT Prototype 1.

• Warm Mix Installation – SR 1007



Photo from May 11, 2011. Map 4 – SR 1007 (2.10 miles). 1.5" Lift, Warm Mix. Shoe – NCDOT Prototype 2.

Driveway / Cross Road Transitions



Using the electric drill to raise and lower the device allows for a smooth driveway / cross road transition.

Photo from May 11, 2011. Map 8 – SR 1345 (0.75 miles). 1.5" Lift, Warm Mix. Shoe – NCDOT Prototype 2.